Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	97	(("(5495537") or ("5528037") or ("4343114") or ("4496970") or ("4629878") or ("5404422") or ("5597304") or ("5732394") or ("6240218") or ("6243494") or ("6243494") or ("4547154") or ("4892721") or ("5023920") or ("5375002") or ("5321915") or ("5375002") or ("5398292") or ("5534915") or ("5569001") or ("5570298") or ("5680474") or ("5806198") or ("6098366") or ("6185343") or ("6098366") or ("6185343") or ("6301387") or ("6336274") or ("6584224") or ("6690814") or ("6584224") or ("6690814") or ("6865273") or ("5758034") or ("5758034") or ("5758035") or ("5758035") or ("5911001") or ("4356763") or ("5921650") or ("5438531") or ("5471320") or ("5689343).pn.")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/10 13:53
L2	91	L1 and @ad<"20010220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:33
L3	1	L2 and template adj image\$1 and input adj image\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:56
L4	24	L2 and template near3 image\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:56
L5	13	L4 and input near3 image\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:58
L6	11	L5 and (axis or axial or coordinates)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:43

L7	11	L6 and @ad<"20010220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:35
L8	3	L7 and generat\$3 near3 signals	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:39
L9	772596	(wafer\$I or semiconductor\$I or chip\$I or substrat\$I or IC or intergrated adj circuit or PCB or printed adj circuit adj board or PWB or printed adj wiring adj board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:34
L10	497777	L9 and @ad<"20010220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:40
L11	0	L10 and input near3 image and acquir\$3 near3 mark	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:37
L12	0	L10 and input adj image and acquiring near3 mark	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:37
L13	7	L10 and acquiring near3 mark	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:51
L14	0	L13 and (storage or storing)and template adj image\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:39
L15	7	L13 and(template or reference or model)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		ON	2006/08/10 14:39
L16	3	L7 and (template or model or reference)same generat\$3 near3 signals	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		ON	2006/08/10 14:41

L17	3	L16 and @ad<"20010220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:17
L18	2	L7 and (template or model or reference)same generat\$3 near3 signals same (plurality or plural\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:11
L19	4	L5 and (axis or axial or coordinates)and perpendicular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:45
L20	1	L17 and (axis or axial or coordinates)and perpendicular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:50
L21	497777	L9 and L10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:51
L22	1776	L21 and (acquiring or obtaining or detect\$3) near3 mark	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:51
L23	32	L22 and (template or model or reference)same generat\$3 near3 signals same (plurality or plural\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:52
L24	184	L22 and (template or model or reference)and generat\$3 near3 signals same (plurality or plural\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:12
L26	6805	382/118,141,199,217,209,278,218, 260,218.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:54
L27	3240	358/1.2,443,448.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		ON	2006/08/10 14:56

L28	1390	704/243,231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 14:57
L29	450	L26 and L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:06
L30	279	L29 and L10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:06
L31	14	L30 and L22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:07
L32	1	L31 and L23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:01
L33	1	L31 and L24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:04
L34	182	L27 and L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:03
L35	125	L34 and L10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:03
L36	3	L35 and L22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:04
L37	1	L36 and L24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:04

L38	31	L28 and L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:06
L39	23	L38 and L10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:07
L40	0	L39 and L22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:07
L41	0	L39 and L24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/08/10 15:07
L42	2874	L9 and(template or model or reference)same generat\$3 near3 signals same (plurality or plural\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:21
L43	1117	L42 and (template or model or reference)and generat\$3 near3 signals and first near3 input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:14
L44	446	L42 and (template or model or reference)and generat\$3 near3 signals same first near3 input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:14
L45	426	L42 and (template or model or reference)and generat\$3 near3 signals same second near3 input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:15
L46	320	L44 and (template or model or reference)and generat\$3 near3 signals same second near3 input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		ON	2006/08/10 15:15
L47	0	L46 and project\$3 near3 (axis or axial or coordinates)same (template or model or reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		ON	2006/08/10 15:21

L48	2	L46 and project\$3 near3(axis or axial or coordinates)and(template or model or reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:17
L49	2	L48 and @ad<"20010220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:22
L50	2	L46 and project\$3 near3 (axis or axial or coordinates)and (template or model or reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:19
L51	2	L46 and project\$3 same(axis or axial or coordinates)same(template or model or reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:20
L52	20275	(template or model or reference)same generat\$3 near3 signals same (plurality or plural\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:35
L53	51	L52 and project\$3 near3(axis or axial or coordinates)same (template or model or reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:34
L54	35	L53 and @ad<"20010220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:35
L55	1765	(template or model)same generat\$3 near3 signals same (plurality or plural\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:34
L56	10	L55 and project\$3 near3(axis or axial or coordinates)same (template or model)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:36
L57	4	L56 and @ad<"20010220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:37

L58	2114	(template or model or reference near3 image\$1)same generat\$3 near3 signals same (plurality or plural\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:36
L59	12	L58 and project\$3 near3(axis or axial or coordinates)same (template or model)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:36
L60	16	L58 and project\$3 near3(axis or axial or coordinates)same (template or model or reference near3 image\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:36
L61	8	L60 and @ad<"20010220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 15:37

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	182	ichikawa-masayoshi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:41
L2	1	L1 and(template or model or reference near3 image\$1)same generat\$3 near3 signals same (plurality or plural\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:45
L3	1	L2 and (acquiring or obtaining or detect\$3)near3 mark	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:46
L4	53998	Maruo- Kazuyuki.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:43
L5	1	L3 and project\$3 near3(axis or axial or coordinates)same(template or model or reference near3 image\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:46
L6	2	L4 and(template or model or reference near3 image\$1)same generat\$3 near3 signals same (plurality or plural\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:45
L7	1	L6 and project\$3 near3(axis or axial or coordinates)same(template or model or reference near3 image\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:45
L8	1	L7 and(acquiring or obtaining or detect\$3)near3 mark	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:45
L9	714547	advantest corporation.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:45

L10	409	L9 and(template or model or reference near3 image\$1)same generat\$3 near3 signals same (plurality or plural\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:46
L11	6	L10 and project\$3 near3(axis or axial or coordinates)same(template or model or reference near3 image\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:48
L12	2	L11 and(acquiring or obtaining or detect\$3)near3 mark	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:46
L13	0	L12 and @ad<"20010220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:49
L14	3	L11 and @ad<"20010220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:49